

Pareta LK, Pareta JK, Gaur K, Agarwal P. Synthesis of a novel steroidal heterocyclic as effective antimicrobial agent. *Bull. Pharm. Res.* 2013;3(3):121-4.

References (12):

1. Dahiya R, Mourya R. Synthetic studies on novel nitroquinazolinone analogs with antimicrobial potential. *Bull. Pharm. Res.* 2013;3(2):51-7.
<http://www.appconnect.in/wp-content/uploads/2011/03/ReprintBPR072.pdf>
2. Gupta R, Pathak D, Jindal DP. Synthesis and study of some 4-aza and 17a-azasteroidal isoxazole. *Eur. J. Med. Chem.* 1999;34(7-8):659-62.
<http://www.ncbi.nlm.nih.gov/pubmed/11278051>
3. Kumar V. Topological models for the prediction of tyrosine kinase inhibitory activity of 4-anilinoquinazolines. *Bull. Pharm. Res.* 2011;1(2):53-9.
www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR023.pdf
4. Laitonjam WS, Rajkumar TS, Chingakham BS. Synthesis of some A- and D-ring fused steroidal pyrazoles, isoxazoles and pyrimidines. *Steroids* 2002;67(3-4):203-9.
<http://www.ncbi.nlm.nih.gov/pubmed/11856544>
5. Mehta PD, Pathak AK. Synthesis, characterization and *in vitro* antimicrobial activity of novel 4,4'-bis[3-chloro-4-aryl-azetidin-2-one-1-yl]diphenyl sulphones. *Bull. Pharm. Res.* 2011; 1(3):38-48.
<http://www.appconnect.in/wp-content/uploads/2012/06/ReprintBPR031.pdf>
6. Park K-H, Kurth MJ. Solid-phase synthesis of novel heterocycles containing thiohydantoin and isoxazole rings. *J. Org. Chem.* 1999;64(25):9297-9300.
<http://pubs.acs.org/doi/abs/10.1021/jo991166p?journalCode=joceah>
7. Robins LI, Fettinger JC, Tinti DS, Kurth MJ. Selective nucleophilic chemistry in the synthesis of 5-carbamoyl-3-sulfanylmethylisoxazole-4-carboxylic acids. *J. Comb. Chem.* 2007;9(1): 139-42.
<http://www.ncbi.nlm.nih.gov/pubmed/17206842>
8. Rodriguez E., Santos J.M., Aparicio D. and Palacios F. An improved and effective method for the preparation of α , β -unsaturated oximes and isoxazole derivatives. *Tetrahedron* 1998; 54(3-4):599-614.
<http://www.sciencedirect.com/science/article/pii/S0040402097103209>
9. Shang Y, Fan C, Li M, Zheng C. Synthesis and properties study of novel ferrocenyl isoxazole derivatives. *Appl. Organomet. Chem.* 2006;20(10):626-31.
<http://onlinelibrary.wiley.com/doi/10.1002/aoc.1115/abstract>

10. Waldo JP, Larock RC. Synthesis of isoxazoles via electrophilic cyclization. *Org. Lett.* 2005; 7(23):5203-5.
<http://www.organic-chemistry.org/abstracts/lit1/031.shtm>
11. Xin Z, Zhao H, Serby MD, Liu B, Schaefer VG, Falls DH, Kaszubska W, Colins CA, Sham HL, Liu G. Synthesis and structure-activity relationships of isoxazole carboxamides as growth hormone secretagogue receptor antagonists. *Bioorg. Med. Chem. Lett.* 2005;15(4):1201-4.
<http://www.ncbi.nlm.nih.gov/pubmed/15686942>
12. Xue C-B, Roderick J, Mousa S, Olson RE, Degrado WF. Synthesis and antiplatelet effects of an isoxazole series of glycoprotein IIb/IIIa antagonists. *Bioorg. Med. Chem. Lett.* 1998; 8(24):3499-504.
<http://www.ncbi.nlm.nih.gov/pubmed/9934460>

