

Mishra DK, Jain DK. Formulation and evaluation of valsartan sustained release matrix tablets. *Bull. Pharm. Res.* 2014;4(2):81-5.

References (13):

1. Abdelbary G, Prinderre P, Eouani C, Joachim J, Reynier JP, Piccerelle P. The preparation of orally disintegrating tablets using a hydrophilic waxy binder. *Int J. Pharm.* 2004;278(2):423-33.
<http://www.ncbi.nlm.nih.gov/pubmed/15196646>
2. Armstrong NA, James KC. Pharmaceutical experimental design and interpretation. CRC Press: Informa Healthcare, New York: 1996.
<http://www.alibris.co.uk/booksearch.detail?invid=12198542775&browse=1&qwork=8226080&mtype=B&qsort=dr&page=1>
3. Bandelin FJ. Compressed Tablets by Wet granulation. In: Liberman HA, Lachman L, Schwartz JB (editors). *Pharmaceutical Dosage Forms: Tablets*, 2nd edition, Vol. 1, Marcel Dekkar, New York: 2008.
4. Dahiya S, Gupta ON. Formulation and *in vitro* evaluation of metoprolol tartrate microspheres. *Bull. Pharm. Res.* 2011;1(1):31-9.
www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR007.pdf
5. Higuchi T. Mechanism of sustained-action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices. *J. Pharm. Sci.* 1963;52(12):1145-9.
<http://onlinelibrary.wiley.com/doi/10.1002/jps.2600521210/pdf>
6. Hingmire LP, Deshmukh VN, Sakarkar DM. Development and evaluation of sustained release matrix tablets using natural polymers as release modifier. *Res J. Pharm. Tech.* 2008;1(3):193-6.
<http://www.indianjournals.com/ijor.aspx?target=ijor:rjpt&volume=1&issue=3&article=014>
7. Jha AK, Bhattacharya A, Verma P. Formulation and *in vitro* evaluation of sustained release matrix tablet of metoprolol succinate using hydrophilic polymers. *Int. J. PharmTech. Res.* 2009;1(4):972-7.
[http://sphinxsai.com/ptvol4/pdf.vol4/pt=2%20\(972-977\).pdf](http://sphinxsai.com/ptvol4/pdf.vol4/pt=2%20(972-977).pdf)
8. Karasulu E, Yesim Karasulu H, Ertan G, Kirilmaz L, Guneri T. Extended release lipophilic indomethacin microspheres: Formulation factors and mathematical equations fitted drug release rates. *Eur. J. Pharm. Sci.* 2003;19(2-3):99-104.
<http://www.sciencedirect.com/science/article/pii/S0928098703000484>

9. Khan IN, Khan MI, Mazumder K, Ajrin M, Sen N, Rashid A, Bhuiya AM. Characterization and *ex-vivo* skin permeation study of domperidone maleate transdermal patch. *Bull. Pharm. Res.* 2012;2(1):15-21.
www.appconnect.in/wp-content/uploads/2013/06/ReprintBPR037.pdf
10. Mishra DK, Kumar A, Raj R, Chaturvedi A. Capmul MCM based nanoemulsion for intranasal delivery of an antidepressant. *Bull. Pharm. Res.* 2013;3(1):34-9.
www.appconnect.in/wp-content/uploads/2011/03/ReprintBPR069.pdf
11. Rowe RC, Sheskey PJ, Owen SC. Handbook of Pharmaceutical Excipients, 5th edition, Pharmaceutical Press, London: 2006; 237-42, 297-301, 323-33, 354-8, 641.
http://books.google.co.in/books/about/Handbook_of_pharmaceutical_excipients.html?id=BGJqAAAAMAAI
12. Tripathi M, Radhika PR, Sivakumar T. Formulation and evaluation of glipizide hollow microballoons for floating drug delivery. *Bull. Pharm. Res.* 2011;1(1):67-74.
www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR0121.pdf
13. Verma S, Kumar V, Jyoti, Mishra DN. Formulation, evaluation and optimization of mucoadhesive microspheres of acyclovir. *Bull. Pharm. Res.* 2014;4(1):14-20.
<http://journal.appconnect.in/wp-content/uploads/2014/05/ReprintBPR087.pdf>