

Sharma A, Sharma P, Gurav AM. Annual variation in camptothecin and 9-methoxy camptothecin accumulation and its determination in different parts of *Nothapodytes nimmoniana* by HPLC analysis. *Bull. Pharm. Res.* 2016;6(1):14-20.

**References (30):**

1. Bilia AR. Ginkgo biloba L. *Fitoterapia* 2002;73(3):276-9.  
<http://www.sciencedirect.com/science/article/pii/S0367326X02000710>
2. Cavaliere C. The effects of climate change on medicinal and aromatic plants. *HerbalGram* 2009;81:44-57.  
<http://cms.herbalgram.org/herbalgram/issue81/article3379.html?Issue=81&ts=1464480426&signature=c52bbee94892ac0e692b06829f87dd33>
3. Chowdhury S, Saha D, Paul S. *In vitro* cytotoxic activities of methanolic extract of *Mimosa pudica*. *Bull. Pharm. Res.* 2012;2(1):42-5.  
<http://www.appconnect.in/wp-content/uploads/2013/06/ReprintBPR042.pdf>
4. Fulzele DP, Satdive RK, Pol BB. Growth and production of camptothecin by cell suspension cultures of *Nothapodytes foetida*. *Planta Med.* 2001;67(2):150-2.  
<http://www.ncbi.nlm.nih.gov/pubmed/11301862>
5. Fulzele DP, Satdive RK. Distribution of anticancer drug camptothecin in *Nothapodytes foetida*. *Fitoterapia* 2005;76(7-8):643-8.  
<http://www.ncbi.nlm.nih.gov/pubmed/16242856>
6. Govindachari TR, Viswanathan N. Alkaloids of *Mappia foetida*. *Phytochemistry* 1972; 11(12):3529-31.  
<http://www.sciencedirect.com/science/article/pii/S0031942200898520>
7. Heinstein PF, Chang CJ. Taxol. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 1994;45:663-74.  
<http://www.annualreviews.org/doi/pdf/10.1146/annurev.pp.45.060194.003311>
8. Kaushik N, Singh BG, Tomar UK, Naik SN, Vir S, Bisla SS, Sharma KK, Banerjee SK, Thakkar P. Regional and habitat variability in azadirachtin content of Indian neem (*Azadirachta indica A. Jussieu*). *Curr. Sci.* 2007;92(10):1400-6.  
[http://www.teriin.org/index.php?option=com\\_publication&task=details&sid=162](http://www.teriin.org/index.php?option=com_publication&task=details&sid=162)
9. Langseth W, Hie R, Gullord M. The influence of cultivars, location and climate on deoxynivalenol contamination in Norwegian Oats 1985-1990. *Acta Agr. Scand. Sec. B - Soil Plant Sci.* 1995;45(1):63-7.  
<http://www.tandfonline.com/doi/abs/10.1080/09064719509410935>

10. van der Meijden E. Plant defense, an evolutionary dilemma: contrasting effects of (specialist and generalist) herbivores and natural enemies. *Entomol. Exp. Appl.* 1996;80(1):307-10.  
<http://onlinelibrary.wiley.com/doi/10.1111/j.1570-7458.1996.tb00941.x/abstract>
11. Lopez-Meyer M, Nessler CL. Tryptophan decarboxylase is encoded by two autonomously regulated genes in *Camptotheca acuminata* which are differentially expressed during development and stress. *Plant J.* 1997;11(6):1167-75.  
<http://www.ncbi.nlm.nih.gov/pubmed/9225462>
12. Namdeo AG, Sharma A, Mahadik KR. Antioxidant activity of methanolic extracts of *Nothapodytes nimmoniana* (J. Graham) Mabberly. *Pharmacologyonline* 2010a;1:148-59.
13. Namdeo AG, Sharma A, Fulzele DP, Mahadik KR. Influence of geographical and climatic conditions on camptothecin content of *Nothapodytes nimmoniana*. *Rec. Nat. Prod.* 2010b;4(1):64-71.  
<http://acgpubs.org/RNP/2010/Volume%204/Issue%201/6-RNP-0909-142.pdf>
14. Namdeo AG, Sharma A, Sathiyanarayanan L, Fulzele D, Mahadik KR. HPTLC densitometric evaluation of tissue culture extracts of *Nothapodytes foetida* compared to conventional extracts for camptothecin content and antimicrobial activity. *Planta Med.* 2010c;76(5): 474-80.  
<http://www.ncbi.nlm.nih.gov/pubmed/19862669>
15. Namdeo AG, Sharma A. HPLC analysis of camptothecin content in various parts of *Nothapodytes foetida* collected on different periods. *Asian Pac. J. Trop. Biomed.* 2012; 2(5):389-93.
16. Khan N, Kumar S, Singh RP, Dhankhar N. Anthelmintic activity in root of *Nothapodytes nimmoniana* in different extracts. *Int. J. Res. Pharm. Biomed. Sci.* 2012;3(1):31-3.  
<http://www.ijrpbsonline.com/files/21.pdf>
17. Ni Q, Xu G, Wang Z, Gao Q, Wang S, Zhang Y. Seasonal variations of the antioxidant composition in ground bamboo *Sasa argenteastrigatus* leaves. *Int. J. Mol. Sci.* 2012; 13(2):2249-62.  
<http://www.ncbi.nlm.nih.gov/pubmed/22408451>
18. Potmesil M. Camptothecins: from bench research to hospital wards. *Cancer Res.* 1994; 54:1431-9.  
<http://cancerres.aacrjournals.org/content/54/6/1431.full.pdf+html>
19. Priel E, Showalter SD, Blair DG. Inhibition of human immunodeficiency virus (HIV-1) replication *in vitro* by non-cytotoxic doses of CPT, a topoisomerase 1 inhibitor. *Aids Res. Human Retrovir.* 1991;7(1):65-72.  
<http://europepmc.org/abstract/MED/1707642>
20. Puri SC, Handa G, Gupta VK, Srivastava TN, Somal P, Sharma SN. Quantitation of CPT in *Nothapodytes foetida*. *J. Indian. Chem. Soc.* 1999;76:370-1.

21. Sheeja E, Edwin E, Dhanbal SP, Suresh B. Antiinflammatory activity of the leaves of *Nothapodytes foetida*, Miers. *Indian J. Pharm. Sci.* 2005;67:251-3.
22. Szakiel A, Paczkowski C, Henry M. Influence of environmental abiotic factors on the content of saponins in plants. *Phytochem. Rev.* 2011;10(4):471-91.  
<http://link.springer.com/article/10.1007%2Fs11101-010-9177-x>
23. Takeuchi S, Dobashi K, Fujimoto S, Tanaka K, Suzuki M, Terashima Y, Hasumi K, Akiya K, Negishi Y, Tamaya T, Tanizawa O, Sugawa T, Umesaki T, Hashimoto M, Yajima A, Yakamizawa H, Sonoda T, Takada Y, Tomoda Y, Taguchi T. A late phase II study of CPT-11 on uterine cervical cancer and ovarian cancer. Research groups of CPT-11 in gynecologic cancers. *Gan to Kagaku Ryoto* 1991;18(10):1681-9.  
<http://www.ncbi.nlm.nih.gov/pubmed/1872624>
24. Vladu B, Woynarowski JM, Manikumar G, Wani MC, Wall ME, Von Hoff DD, Wadkins RM. 7 and 10-Substituted camptothecins: dependence of topoisomerase I-DNA cleavable complex formation and stability on the 7- and 10-substituents. *Mol. Pharmacol.* 2000;57(2):243-51.  
<http://molpharm.aspetjournals.org/content/57/2/243.full.pdf+html>
25. Wall ME, Wani MC. Camptothecin and analogs. from discovery to clinic. In Potmesil M, Pineddo H, (eds.) Camptothecins: New Anticancer Agents, CRC Press: Boca Raton, 1995; pp. 21-41.
26. Wilson ID, Plumb R, Granger J, Major H, Williams R, Lenz EM. HPLC-MS based methods for the study of metabolomics. *J. Chromatogr. B. Analyt. Technol. Biomed. Life Sci.* 2005; 817(1):67-76.  
<http://www.ncbi.nlm.nih.gov/pubmed/15680789>
27. Wolfender JL. HPLC in natural product analysis: the detection issue. *Planta Med.* 2009; 75(7):719-34.  
<http://www.ncbi.nlm.nih.gov/pubmed/19145552>
28. Wu T-S, Leu Y-L, Hsu H-C, Ou L-F, Chen C-C, Chen C-F, Ou J-C, Wu Y-C. Constituents and cytotoxic principles of *Nothapodytes foetida*. *Phytochemistry* 1995;39(2):383-5.  
<http://www.ncbi.nlm.nih.gov/pubmed/7495532>
29. Yan X-F, Wang Y, Yu T, Zhang Y-H, Dai S-J. Variation in camptothecin content in *Camptotheca acuminata* leaves. *Bot. Bull. Acad. Sin.* 2003;44:99-105.  
<http://ejournal.sinica.edu.tw/bbas/content/2003/2/bot442-02.html>
30. Zia Uddin M, Saha D, Nath AK, Jenny A, Dutta M, Paul S. Comparative study of antibacterial, antifungal and cytotoxic effects of different extracts of *Dillenia indica* Thunb and *Abroma augusta* Linn. *Bull. Pharm. Res.* 2012;2(3):124-8.  
<http://www.appconnect.in/wp-content/uploads/2011/03/ReprintBPR056.pdf>