

Sharma A, Kumar V, Kumar S, Pathak DP. Synthesis, characterization and biological evaluation of some imidazole bearing hydrazones as possible antimicrobial and anthelmintic agents. *Bull. Pharm. Res.* 2016;6(1):21-7.

### References (22):

1. Abdel-Aziz HA, Eldehna WM, Fares M, Al-Rashood ST, Al-Rashood KA, Abdel-Aziz MM, Soliman DH. Synthesis, biological evaluation and 2D-QSAR study of halophenyl bis-hydrazones as antimicrobial and antitubercular agents. *Int. J. Mol. Sci.* 2015;16(4):8719-43. <http://www.ncbi.nlm.nih.gov/pubmed/25903147>
2. Andrews JM. Determination of minimum inhibitory concentrations. *J. Antimicrob. Chemother.* 2001;48(1):5-16. [http://jac.oxfordjournals.org/content/48/suppl\\_1/5.short?rss=1&ssource=mfc](http://jac.oxfordjournals.org/content/48/suppl_1/5.short?rss=1&ssource=mfc)
3. Chaluvvaraju KC, Bhat KI. Studies on the anthelmintic property of aminobenzylated mannich bases. *J. Young Pharm.* 2011;3(3):243-5. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3159280/>
4. Dahiya R. Synthesis, characterization and antimicrobial studies on some newer imidazole derivatives. *Sci. Pharm.* 2008;76(2):217-39. <http://www.scipharm.at/download.asp?id=241>
5. Dahiya R, Kumar A, Yadav R. Synthesis and biological activity of peptide derivatives of iodoquinazolinones/nitroimidazoles. *Molecules* 2008;13(4):958-76. <http://www.mdpi.com/1420-3049/13/4/958>
6. Dahiya R, Pathak D. Synthetic studies on novel benzimidazolepeptides with antimicrobial, cytotoxic and anthelmintic potential. *Eur. J. Med. Chem.* 2007;42(6):772-98. <http://www.sciencedirect.com/science/article/pii/S0223523406004387>
7. Desai NC, Maheta AS, Rajpara KM, Joshi VV, Vaghani HV, Satodiya HM. Green synthesis of novel quinoline based imidazole derivatives and evaluation of their antimicrobial activity. *J. Saudi Chem. Soc.* 2014;18(6):963-71. <http://www.sciencedirect.com/science/article/pii/S1319610311002468>
8. Jourshari MS, Mamaghani M, Shirini F, Tabatabaeian K, Rassa M, Langari H. An expedient one-pot synthesis of highly substituted imidazoles using supported ionic liquid-like phase (SILLP) as a green and efficient catalyst and evaluation of their anti-microbial activity. *Chin. Chem. Lett.* 2013;24(11):993-6. <http://www.sciencedirect.com/science/article/pii/S1001841713003318>

9. Kajal A, Bala S, Sharma N, Kamboj S, Saini V. Therapeutic potential of hydrazones as anti-inflammatory agents. *Int. J. Med. Chem.* 2014(2014):1-11.  
<http://www.hindawi.com/journals/ijmc/2014/761030/>
10. Kethireddy S, Eppakayala L, Maringanti TC. Synthesis and antibacterial activity of novel 5,6,7,8-tetrahydroimidazo[1,2-a] pyrimidine-2-carbohydrazide derivatives. *Chem. Cent. J.* 2015;9(1):51.  
[http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4582076/pdf/13065\\_2015\\_Article\\_121.pdf](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4582076/pdf/13065_2015_Article_121.pdf)
11. Kumar V. Topological models for the prediction of tyrosine kinase inhibitory activity of 4-anilinoquinazolines. *Bull. Pharm. Res.* 2011;1(2):53-9.  
<http://www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR023.pdf>
12. Kumar V, Sharma A, Sharma PC. Synthesis of some novel 2,5-disubstituted thiazolidinones from a long chain fatty acid as possible anti-inflammatory, analgesic and hydrogen peroxide scavenging agents. *J. Enzyme Inhib. Med. Chem.* 2011;26(2):198-203.  
<http://www.ncbi.nlm.nih.gov/pubmed/20583878>
13. Mehta PD, Pathak AK. Synthesis, characterization and *in vitro* antimicrobial activity of novel 4,4'-bis[3-chloro-4-aryl-azetidin-2-one-1-yl]diphenyl sulphones. *Bull. Pharm. Res.* 2011;1(3):38-48.  
<http://www.appconnect.in/wp-content/uploads/2012/06/ReprintBPR031.pdf>
14. Patel M, Saunthawal RK, Verma AK. Base-catalyzed stereoselective intermolecular addition of imidazoles onto alkynes: an easy access to imidazolyl enamines. *Tetrahedron Lett.* 2014;55(7):1310-5.  
<http://www.sciencedirect.com/science/article/pii/S0040403913021989>
15. Rollas S, Kucukguzel SG. Biological activities of hydrazone derivatives. *Molecules* 2007;12(8):1910-39.  
[www.mdpi.com/1420-3049/12/8/1910/pdf](http://www.mdpi.com/1420-3049/12/8/1910/pdf)
16. Sharma A, Kumar V, Jain S, Sharma PC. Thiazolidin-4-one and hydrazone derivatives of capric acid as possible anti-inflammatory, analgesic and hydrogen peroxide-scavenging agents. *J. Enzyme Inhib. Med. Chem.* 2011;26(4):546-52.  
<http://www.ncbi.nlm.nih.gov/pubmed/21171895>
17. Sharma A, Kumar V, Kharb R, Kumar S, Sharma PC, Pathak DP. Imidazole derivatives as potential therapeutic agents. *Curr. Pharm. Design* 2016a;22(21):3265-3301.  
<http://www.eurekaselect.com/139838/article>
18. Sharma A, Kumar V, Kumar S, Pathak DP. Synthesis, characterization and biological evaluation of some imidazole bearing thiazolidin-4-ones as possible antimicrobial and anthelmintic agents. *Curr. Chem. Biol.* 2016b;9(2):113-122.  
<http://www.eurekaselect.com/138877>

19. Tang D, Li X-L, Guo X, Wu P, Li J-H, Wang K, Jing H, Chen B-H. Copper and zinc co-catalyzed synthesis of imidazoles via the activation of  $sp^3$  C-H and N-H bonds. *Tetrahedron* 2014;70(26):4038-42.  
<http://www.sciencedirect.com/science/article/pii/S0040402014005754>
20. Verma A, Joshi S, Singh D. Imidazole: having versatile biological activities. *J. Chem.* 2013(2013):1-12.  
<http://www.hindawi.com/journals/jchem/2013/329412/>
21. Vichier-Guerre S, Dugue L, Pochet S. A convenient synthesis of 4(5)-(hetero)aryl-1H-imidazoles via microwave-assisted Suzuki-Miyaura cross-coupling reaction. *Tetrahedron Lett.* 2014;55(46), 6347-50.  
<http://www.sciencedirect.com/science/article/pii/S0040403914016311>
22. Ziarani GM, Dashtianeh Z, Nahad MS, Badiéi A. One-pot synthesis of 1,2,4,5-tetra substituted imidazoles using sulfonic acid functionalized silica ( $SiO_2$ -Pr- $SO_3H$ ). *Arab. J. Chem.* 2015; 8(5):692-7.  
<http://www.sciencedirect.com/science/article/pii/S1878535213003900>

