

Shrestha DM, Srinivasa Rao T, Sreedhar C, Akkamma HG, Bharadwaja Reddy G, Yadav PK. Development and validation of new analytical method for the simultaneous estimation of naproxen and esomeprazole in bulk and pharmaceutical formulation. *Bull. Pharm. Res.* 2016;6(1):28-35.

References (28):

1. Ahmed I, Islam MR, Chowdhury JA, Islam MK and Rahman MH. In vitro release kinetics study of naproxen from swellable hydrophilic matrix tablets. *Bangladesh Pharm. J.* 2010;13(1):18-22.
<http://www.bps-bd.org/journal/volume13/article4.pdf>
2. Ampati S, Lagishetti S, Bairi AG. Development and validation of RP-HPLC method for simultaneous estimation of naproxen sodium and esomeprazole in pharmaceutical tablet dosage form. *Int. J. Pharm.* 2014;4(3):95-104.
http://pharmascholars.com/pharma/upload/pharmacy_53b2bac2acb4a.pdf?title=Development%20and%20validation%20of%20RP-HPLC%20method%20for%20the%20simultaneous%20estimation%20of%20naproxen%20sodium%20and%20esomeprazole%20magnesium%20in%20pharmaceutical%20tablet%20dosage%20form
3. Banerjee SK, Vasava NM. Simultaneous estimation of amlodipine and rosuvastatin in combined bulk forms by RP-HPLC using ultraviolet detection. *Bull. Pharm. Res.* 2013;3(1):29-33.
<http://www.appconnect.in/wp-content/uploads/2011/03/ReprintBPR068.pdf>
4. Basaveswara Rao MV, Nagendrakumar AVD, Sivanadh M, Venkata Rao G. Validated RP-HPLC method for the estimation of telmisartan in tablet formulation. *Bull. Pharm. Res.* 2012;2(2):50-5.
<http://www.appconnect.in/app/journalUploads/dp-5-1.pdf>
5. Bhavyasri K, Murali Balaram V, Nageswarao R, Rambabu D, Ajitha M. Rapid simultaneous determination of naproxen and esomeprazole magnesium in combined tablets by validated ultra performance liquid chromatographic method. *J. Chem. Pharm. Res.* 2013;5(12):1230-6.
<http://jocpr.com/vol5-iss12-2013/JCPR-2013-5-12-1230-1236.pdf>
6. Deshpande SV, Mahaparale SP, Shinde SS, Funne SM. Development and validation of Esomeprazole and Naproxen in bulk and tablet dosage form by RP-HPLC method. *Int. J. Pharm. Anal.* 2014;2(5):449-53.
<http://www.ijpda.com/admin/uploads/kKnmy0.pdf>
7. Dubois RN, Abramson SB, Crofford L, Gupta RA, Simon LS, Van De Putte LB, Lipsky PE. Cyclooxygenase in biology and disease. *FASEB J.* 1998;12(12):1063-73.
<http://www.ncbi.nlm.nih.gov/pubmed/9737710>

8. Jain DK, Jain N, Charde R, Jain N. The RP-HPLC method for simultaneous estimation of esomeprazole and naproxen in binary combination. *Pharm. Methods* 2011;2(3):167-72.
<http://www.sciencedirect.com/science/article/pii/S2229470811230036>
9. Lind T, Rydberg L, Kyleback A, Jonsson A, Andersson T, Hasselgren G, Holmberg J, Rohss K. Esomeprazole provides improved acid control vs. omeprazole in patients with symptoms of gastro-oesophageal reflux disease. *Aliment Pharmacol. Ther.* 2000;14(7):861-7.
<http://www.ncbi.nlm.nih.gov/pubmed/10886041>
10. Mahaparale SP, Mahaparale PR, Gonjari ID. Simultaneous spectrophotometric estimation of esomeprazole and naproxen in bulk and tablet dosage form. *Int. J. Res. Dev. Pharm. Life Sci.* 2013;2(2):377-82.
<http://www.ijrdpl.com/docs/currentissuevolume02issue02februarymarch2013pl/17.pdf>
11. Manrique-Moreno M, Suwalsky M, Villena F and Garidel P. Effects of the nonsteroidal anti-inflammatory drug naproxen on human erythrocytes and on cell membrane molecular models. *Biophys. Chem.* 2010;147(1-2):53-8.
<http://www.ncbi.nlm.nih.gov/pubmed/20083338>
12. Masferrer JL, Isakson PC, Seibert K. Cyclooxygenase-2 inhibitors: a new class of anti-inflammatory agents that spare the gastrointestinal tract. *Gastroenterol. Clin. North Am.* 1996;25(2):363-72.
<http://www.ncbi.nlm.nih.gov/pubmed/9229578>
13. Miner P Jr, Katz PO, Chen Y, Sostek M. Gastric acid control with esomeprazole, lansoprazole, omeprazole, pantoprazole, and rabeprazole: a five-way crossover study. *Am. J. Gastroenterol.* 2003;98(12):2616-20.
<http://www.ncbi.nlm.nih.gov/pubmed/14687806>
14. Patel M, Vohra J, Kakadiya J, Shah KH. Development and validation of simultaneous equation spectrophotometry method for simultaneous estimation of Naproxen and Esomeprazole Magnesium trihydrate in tablet dosage form. *Int. J. Pharm. Res. Bio-Sci.* 2012;1(2):274-86.
<http://www.ijprbs.com/issuedocs/2012/4/18-7-6-IJPRBS-86.pdf>
15. Prasanthi V, Mary K, Narasimha Raju CH, Basaveswara Rao MV. Development and validation of new RP-HPLC method for determination of acetyl sulfisoxazole in bulk and pharmaceutical dosage forms. *Bull. Pharm. Res.* 2011;1(1):47-53.
<http://www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR009.pdf>
16. Rao TM, Prabhakar T, Girija Sankar G, Naidu PVL. Stability indicating assay of esomeprazole and naproxen in tablets by RP-UPLC PDA-method. *Int. J. Pharma Sci.* 2013;3(2):205-10.
<http://ijps.aizeonpublishers.net/content/2013/2/ijps205-210.pdf>

17. Razzaq SN, Ashfaq M, Khan IU, Mariam I. Development and validation of liquid chromatographic method for naproxen and esomeprazole in binary combination. *J. Chil. Chem. Soc.* 2012;57(4):1456-9.
http://www.scielo.cl/scielo.php?script=sci_arttext&pid=S0717-97072012000400024
18. Reddy PS, Sait S, Vasudevamurthy G, Vishwanath B, Prasad V, Reddy SJ. Stability indicating simultaneous estimation of assay method for naproxen and esomeprazole in pharmaceutical formulations by RP-HPLC. *Der Pharm. Chem.* 2011;3(6):553-64.
<http://derpharmachemica.com/vol3-iss6/dpc-2011-3-6-553-564.pdf>
19. Saravanan S, Sudha T, Surendra B. Development and validation of reverse phase-high performance liquid chromatographic method for simultaneous estimation of naproxen sodium and esomeprazole magnesium trihydrate. *Drug Dev. Ther.* 2014;5(2):109-14.
<http://www.ddtjournal.org/article.asp?issn=2394-6555;year=2014;volume=5;issue=2;spage=109;epage=114;aulast=Saravanan>
20. Scott LJ, Dunn CJ, Mallarkey G, Sharpe M. Esomeprazole: a review of its use in the management of acid-related disorders. *Drugs* 2002;62(10):1503-38.
<http://www.ncbi.nlm.nih.gov/pubmed/12093317>
21. Shukla R, Shivkumar R, Shivan KN. Development of a UV-spectrophotometric method for the simultaneous determination of tramadol hydrochloride and paracetamol in bulk and marketed product. *Bull. Pharm. Res.* 2011;1(1):62-6.
<http://www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR011.pdf>
22. Singh S, Dahiya R. Stability-indicating RP-HPLC method for estimation of atorvastatin calcium in solid dosage form. *Bull. Pharm. Res.* 2014;4(1):9-13.
<http://journal.appconnect.in/wp-content/uploads/2014/05/ReprintBPR086.pdf>
23. Singh S, Yadav AK, Gautam H. First order derivative spectrophotometric determination of telmisartan in pharmaceutical formulation. *Bull. Pharm. Res.* 2012;2(2):83-6.
<http://www.appconnect.in/app/journalUploads/dp-5-6.pdf>
24. Sojitra C, Pathak A, Rajput S. Development and validation of spectrophotometric methods for simultaneous estimation of naproxen and esomeprazole magnesium trihydrate in combined Pharmaceutical formulation. *Int. J. ChemTech Res.* 2012;4(2):602-8.
[http://www.sphinxsai.com/2012/chemAJ/CHEM/CT=19\[602-608\]AJ12.pdf](http://www.sphinxsai.com/2012/chemAJ/CHEM/CT=19[602-608]AJ12.pdf)
25. Sojitra C, Rajput S. Development and validation of RP-HPLC methods for simultaneous estimation of naproxen and esomeprazole magnesium trihydrate in combined pharmaceutical formulation. *Int. J. Pharm. Pharm. Sci.* 2012;4(3):533-7.
<http://www.ijppsjournal.com/Vol4Suppl3/3889.pdf>
26. Turini ME, DuBois RN. Cyclooxygenase-2: a therapeutic target. *Annu. Rev. Med.* 2002;53:35-57.
<http://www.ncbi.nlm.nih.gov/pubmed/11818462>

27. Vetrichelvan T, Suresh J. Simultaneous spectrophotometric estimation of naproxen and esomeprazole magnesium by area under curve method. *Int. J. Pharm. Res.* 2012;1(1):1-3.
<http://dosingpdf.com/s/sirejournals.com1.html>
28. Yokoyama H, Horie T, Awazu S. Naproxen-induced oxidative stress in the isolated perfused rat liver. *Chem. Biol. Interact.* 2006;160(2):150-8.
<http://www.ncbi.nlm.nih.gov/pubmed/16472794>

