

Rai P, Jain J, Rajput SJ. A simple and sensitive assay method for boron estimation by differential pulse voltammetry in Indian traditional herbo-mineral formulation, *Mahamrutyunjaya rasa*. *Bull. Pharm. Res.* 2015;5(2):51-8.

### References (22):

1. Al-Ammar AS, Gupta RK, Barnes RM. Elimination of boron memory effect in inductively coupled plasma-mass spectrometry by ammonia gas injection into the spray chamber during analysis. *Spectrochim. Acta Part B Atom. Spect.* 2000;55(6):629-35.  
<http://www.sciencedirect.com/science/article/pii/S058485470000197X>
2. Balogh IS, Andruch V, Kadar M, Billes F, Posta J, Szabova E. A simple method of boron determination in mineral waters using Victoria blue 4R. *Int. J. Environ. Anal. Chem.* 2009;89(6):449-59.  
<http://www.tandfonline.com/doi/abs/10.1080/03067310802710621?journalCode=geac20>
3. Burguera M, Burguera JL, Rondon C, Carrero P. Determination of boron in blood, urine and bone by electrothermal atomic absorption spectrometry using zirconium and citric acid as modifiers. *Spectrochim. Acta Part B: Atom. Spec.* 2001;56(10):1845-57.  
<http://www.sciencedirect.com/science/article/pii/S0584854701003408>
4. de Azevedo C, de Luca GC, Fernandes RN, Reis BF, Krug FJ. Multicommution in flow analysis exploiting a multizone trapping approach: spectrophotometric determination of boron in plants. *Anal. Chim. Acta* 1998;374(1):53-9.  
<http://www.sciencedirect.com/science/article/pii/S000326709800395X>
5. Economou A, Themelis DG, Bikou H, Tzanavaras PD, Rigas PG. Determination of boron in water and pharmaceuticals by sequential-injection analysis and fluorimetric detection. *Anal. Chim. Acta* 2004;510(2):219-24.  
<http://www.sciencedirect.com/science/article/pii/S0003267004000133>
6. ICH, Q2B. Validation of analytical procedures: Methodology. International conference on harmonization, Geneva, Switzerland, 1996.
7. Jin W, Jiao K, Metzner H. On the adsorption voltammetry of the boron-Beryllon III system: Part I. Determination of boron in plants and soils. *Electroanalysis* 1993;5(5-6):437-43.  
<http://onlinelibrary.wiley.com/doi/10.1002/elan.1140050511/abstract>
8. Kozono S, Takahashi S, Harauchi H. Determination of boron in high-purity tantalum materials by on-line matrix separation/inductively coupled plasma mass spectrometry. *Analyst* 2002;127(7):930-4.  
<http://www.ncbi.nlm.nih.gov/pubmed/12173652>

9. Garcia Campana AM, Ales Barrero F, Roman Ceba M. Spectrofluorimetric determination of boron in soils, plants and natural waters with alizarin red S. *Analyst* 1992;117(7):1189-91.  
<http://www.ncbi.nlm.nih.gov/pubmed/1524233>
10. Park CJ, Song S. Determination of boron in high-purity sulfuric acid by ester generation and isotope dilution inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* 2003;18(10):1248-51.  
<http://pubs.rsc.org/en/content/articlelanding/2003/ja/b306897h#!divAbstract>
11. Probst TU, Berryman NG, Lemmen P, Weissfloch L, Auberger T, Gabel D, Carlsson J, Larsson B. Comparison of inductively coupled plasma atomic emission spectrometry and inductively coupled plasma mass spectrometry with quantitative neutron capture radiography for the determination of boron in biological samples from cancer therapy. *J. Anal. At. Spectrom.* 1997;12(10):1115-22.  
<http://pubs.rsc.org/en/content/articlelanding/1997/ja/a700445a/unauth#!divAbstract>
12. Ramakumar KL. Analytical challenges in characterization of high purity materials. *Bull. Mater. Sci.* 2005;28(4):331-7.  
<http://link.springer.com/article/10.1007%2FBF02704245>
13. Rai P, Pathak A, Rajput SJ. Stability-indicating reversed-phase liquid chromatographic methods for the determination of aconitine and piperine in a polyherbal formulation. *J. AOAC Int.* 2009;92(4):1044-54.  
<http://www.ncbi.nlm.nih.gov/pubmed/19714970>
14. Sahin I, Nakiboglu N. Indirect determination of Boron in water by cathodic stripping voltammetry. *Fresen. Environ. Bull.* 2006;15(5):457-61.  
[https://www.researchgate.net/publication/255854771\\_Indirect\\_determination\\_of\\_boron\\_in\\_water\\_by\\_cathodic\\_stripping\\_voltammetry](https://www.researchgate.net/publication/255854771_Indirect_determination_of_boron_in_water_by_cathodic_stripping_voltammetry)
15. Sanchez-Ramos S, Bosch-Reig F, Gimeno-Adelantado JV, Yusa-Marco DJ, Domenech-Carbo A, Berza-Perez JA. Validation of a method for the determination of boron in ceramic materials by X-ray fluorescence spectrometry. *Spectrochim. Acta Part B Atom. Spect.* 2000;55(11):1669-77.  
<http://www.sciencedirect.com/science/article/pii/S0584854700002676>
16. Sun D-H, Ma R-L, McLeod CW, Wang X-R, Cox AG. Determination of boron in serum, plasma and urine by inductively coupled plasma mass spectrometry (ICP-MS). Use of mannitol-ammonia as diluent and for eliminating memory effect. *J. Anal. At. Spectrom.* 2000;15(3):257-61.  
<http://pubs.rsc.org/en/content/articlelanding/2000/ja/a908250f#!divAbstract>
17. Sun D-H, Waters JK, Mawhinney TP. Microwave digestion and ultrasonic nebulization for determination of boron in animal tissues by inductively coupled plasma atomic emission spectrometry with internal standardization and addition of mannitol. *J. Anal. At. Spectrom.* 1997;12(6):675-9.  
<http://pubs.rsc.org/en/content/articlelanding/1997/ja/a606283k/unauth#!divAbstract>

18. Tanaka T, Nishu K, Nabekawa H, Hayashi H. Determination of trace boron in iron and steel by adsorptive stripping voltammetry using Beryllon III. *ISIJ Int.* 2006;46(9):1318-23.  
[https://www.jstage.jst.go.jp/article/isijinternational/46/9/46\\_9\\_1318/article](https://www.jstage.jst.go.jp/article/isijinternational/46/9/46_9_1318/article)
19. Thunus L. Voltammetric determination of boron in plasma using Beryllon (III) as a ligand. *Anal. Chim. Acta* 1996;318(3):303-8.  
<http://www.sciencedirect.com/science/article/pii/0003267095004629>
20. Unal U, Somer G. Indirect determination of trace tetraborate by differential pulse polarography using its copper complex and application to waste and drinking water. *Electroanalysis* 2009;21(20):2234-40.  
<http://onlinelibrary.wiley.com/doi/10.1002/elan.200904674/abstract>
21. Wilke T, Wildner H, Wunsch G. Ester generation for the determination of ultratrace amounts of boron in volatile high-purity process chemicals by inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* 1997;12(9):1083-6.  
<http://pubs.rsc.org/en/content/articlelanding/1997/JA/a701654i#!divAbstract>
22. Zaijun L, Yuling Y, Jiaomai P, Jan T. 1-(2-hydroxy-3-methoxybenzylideneamino)-8-hydroxynaphthalene-3,6-disulfonic acid as a reagent for the spectrophotometric determination of boron in ceramic materials *Analyst* 2001;126(7):1160-3.  
<http://www.ncbi.nlm.nih.gov/pubmed/11478653>

