

Sharma PC, Kumar D, Gors R, Sharma A, Rajak H. Synthesis and biological evaluation of clubbed triazole-thiazolidinone derivatives. *Bull. Pharm. Res.* 2014;4(2):72-80.

References (26):

1. Bhusari KP, Amnerkar ND, Khedekar PB, Kale MK, Bhole RP. Synthesis and *in vitro* antimicrobial activity of some new 4-amino-N-(1,3-benzothiazol-2-yl)benzene sulphonamide derivatives. *Asian J. Res. Chem.* 2008;1(2):53-7.
[http://www.ajrconline.org/AJRC_Vol1\(2\)/1\(53-58\).pdf?origin=publication_detail](http://www.ajrconline.org/AJRC_Vol1(2)/1(53-58).pdf?origin=publication_detail)
2. Chandramouli, Shivanand MR, Nayanbhai TB, Bheemachari, Udupi RH. Synthesis and biological screening of certain new triazole schiff bases and their derivatives bearing substituted benzothiazole moiety. *J. Chem. Pharm. Res.* 2012;4(2):1151-9.
<http://jocpr.com/vol4-iss2-2012/JCPR-2012-4-2-1151-1159.pdf>
3. Ciftci SY, Kelekci NG, Goksen US, Ucar G. Free-radical scavenging activities of 2-benzoxazolinone derivatives containing thiosemicarbazide, triazole, thiadiazole and hydrazone units. *Hacettepe Univ. J. Fac. Pharm.* 2011;31(1):27-50.
http://www.eczfakder.hacettepe.edu.tr/Arsiv/EskiDergiler/01_2011/03%20nesrin.pdf
4. Dahiya R, Mourya R. Synthetic studies on novel nitroquinazolinone analogs with antimicrobial potential. *Bull. Pharm. Res.* 2013;3(2):51-7.
<http://www.appconnect.in/wp-content/uploads/2011/03/FirstPagePreviewBPR072.pdf>
5. Deep A, Jain S, Sharma PC, Mittal SK, Phogat P, Malhotra M. Synthesis, characterization and antimicrobial evaluation of 2,5-disubstituted-4-thiazolidinone derivatives. *Arab. J. Chem.* 2014;7(3):287-91.
<http://www.sciencedirect.com/science/article/pii/S1878535210002376>
6. Deep A, Jain S, Sharma PC, Phogat P, Malhotra M. Synthesis of 2-(aryl)-5-(arylidene)-4-thiazolidinone derivatives with potential analgesic and anti-inflammatory activity. *Med. Chem. Res.* 2012;21(8):1652-9.
<http://link.springer.com/article/10.1007/s00044-011-9679-0>
7. El-Sayed R. Synthesis, antibacterial and surface activity of 1,2,4-triazole derivatives. *GRASAS Y ACEITES.* 2006;57(2):180-8.
<http://grasasyaceites.revistas.csic.es/index.php/grasasyaceites/article/viewFile/35/34>
8. Kaur H, Kumar S, Chaudhary A, Kumar A. Synthesis and biological evaluation of some new substituted benzoxazepine and benzothiazepine as antipsychotic as well as anticonvulsant agents. *Arab. J. Chem.* 2012;5(3):271-83.
<http://www.sciencedirect.com/science/article/pii/S187853521000184X>

9. Kharb R, Sharma PC, Yar MS. Pharmacological significance of triazole scaffold. *J. Enzyme Inhib. Med. Chem.* 2011;26(1):1-21.
<http://www.ncbi.nlm.nih.gov/pubmed/20583859>
10. Kumanan R, Manimaran S, Khan S, Dhanabal SP, Nanjan MJ. Screening of bark of *Cinnamomum tamala* (Lauraceae) by using α -amylase inhibition assay for anti-diabetic activity. *Int. J. Pharm. Biomed. Res.* 2010;1(2):69-72.
<http://www.pharmscidirect.com/Docs/IJPBR-2010-02-14.pdf>
11. Kumar V. Topological models for the prediction of tyrosine kinase inhibitory activity of 4-anilinoquinazolines. *Bull. Pharm. Res.* 2011;1(2):53-9.
www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR023.pdf
12. Mehta PD, Pathak AK. Synthesis, characterization and *in vitro* antimicrobial activity of novel 4,4'-bis[3-chloro-4-aryl-azetidin-2-one-1-yl]diphenyl sulphones. *Bull. Pharm. Res.* 2011; 1(3): 38-48.
www.appconnect.in/wp-content/uploads/2012/06/ReprintBPR031.pdf
13. Narkhede MB, Ajimire PV, Wagh AE, Mohan M, Shivashanmugam AT. *In vitro* antidiabetic activity of *Caesalpina digyna* (R.) methanol root extract. *Asian J. Plant Sci. Res.* 2011; 1(2):101-6.
<http://pelagiaresearchlibrary.com/asian-journal-of-plant-science/vol1-iss2/AJPSR-2011-1-2-101-106.pdf>
14. Nickavar B, Yousefian N. Inhibitory effects of six Allium species on α -amylase enzyme activity. *Iran. J. Pharm. Res.* 2009;8(1):53-7.
http://ijpr.sbm.ac.ir/pdf_788_92c571da239d37debde3981b9a379599.html
15. Nusrat B, Ali R, Siddiqui N, Habib A. Some heterocyclics with anticonvulsant properties. *Bull. Pharm. Res.* 2014;4(1):21-36.
www.journal.appconnect.in/wp-content/uploads/2014/05/ReprintBPR088.pdf
16. Ottana R, Maccari R, Amuso S, Wolber G, Schuster D, Herdlinger S, Manao G, Camici G, Paoli P. New 4-[(5-arylidene-2-arylimino-4-oxo-3-thiazolidinyl)methyl]benzoic acids active as protein tyrosine phosphatase inhibitors endowed with insulinomimetic effect on mouse C2C12 skeletal muscle cells. *Eur. J. Med. Chem.* 2012;50:332-43.
<http://www.ncbi.nlm.nih.gov/pubmed/22381357>
17. Pareta LK, Pareta JK, Gaur K, Agarwal P. Synthesis of a novel steroidal heterocyclic as effective antimicrobial agent. *Bull. Pharm. Res.* 2013;3(3):121-4.
<http://journal.appconnect.in/wp-content/uploads/2013/10/ReprintBPR080.pdf>
18. Parmar K, Prajapati S, Patel R, Patel R. A simple and efficient procedure for synthesis of biologically active 1,2,4-triazolo-[3,4-*b*]-1,3,4-thiadiazole-2-aryl-thiazolidine-4-one derivatives. *Res. J. Chem. Sci.* 2011;1(1);18-24.
<http://www.isca.in/rjcse/Archives/vol1/5.pdf>

19. Sharma A, Kumar V, Jain S, Sharma PC. Thiazolidin-4-one and hydrazone derivatives of capric acid as possible anti-inflammatory, analgesic and hydrogen peroxide-scavenging agents. *J. Enzyme Inhib. Med. Chem.* 2011;26(4):546-52.
<http://www.ncbi.nlm.nih.gov/pubmed/21171895>
20. Shiradkar MR, Ghodake M, Bothara KG, Bhandari SV, Nikalje A, Akula KC, Desai NC, Burange PJ. Synthesis and anticonvulsant activity of clubbed thiazolidinone-barbituric acid and thiazolidinone-triazole derivatives. *ARKIVOC* 2007;xiv:58-74.
<http://www.arkat-usa.org/get-file/23283/>
21. Singh T, Sharma PK, Mondalc SC, Kumar N. Synthesis, anticonvulsant activity & spectral characterization of some novel thiazolidinone derivatives. *J. Chem. Pharm. Res.* 2011; 3(5):609-15.
<http://jocpr.com/vol3-iss5-2011/JCPR-2011-3-5-609-615.pdf>
22. Singhal N, Sharma PK, Dudhe R, Kumar N. Recent advancement of triazole derivatives and their biological significance. *J. Chem. Pharm. Res.* 2011;3(2):126-33.
<http://jocpr.com/vol3-iss2-2011/JCPR-2011-3-2-126-133.pdf>
23. Suresh CH, Rao JV, Jayaveera KN, Subudhi SK. Synthesis and anthelmintic activity of 3-(2-hydrazinobenzothiazoles)-substituted indole-2-one. *Int. Res. J. Pharm.* 2011;2(3):257-61.
<http://www.irjponline.com/admin/php/uploads/vol-issue3/47.pdf>
24. Vijay Kumar MMJ, Shankarappa L, Shameer H, Jayachandran E, Sreenivasa GM. *N*-Substituted-3-chloro-2-azetidinones: Synthesis and characterization of novel anthelmintic agents. *Res. J. Pharm. Biol. Chem. Sci.* 2010;1(2):52-8.
<http://www.rjpbcos.com/pdf/Old%20files/9.pdf>
25. Wahi AK, Singh A. Triazole: recent development and biological activities. *Asian J. Biochem. Pharm. Res.* 2011;2(1):193-205.
<http://www.ajbpr.com/issues/volume1/issue2/30.pdf>
26. Wang S, Zhao Y, Zhu W, Liu Y, Guo K, Gong P. Synthesis and anticancer activity of indolin-2-one derivatives bearing the 4-thiazolidinone moiety. *Arch. Pharm. (Weinheim)* 2012; 345(1):73-80.
<http://www.ncbi.nlm.nih.gov/pubmed/21932254>