

Maheshwari RK. "Solid as solvent"- Novel spectrophotometric analysis of frusemide tablets using phenol as solvent. *Bull. Pharm. Res.* 2014;4(2):104-7.

References (19):

1. Agrawal A, Maheshwari RK. Formulation development and evaluation of *in situ* nasal gel of poorly water soluble drug using mixed solvency concept. *Asian J. Pharm.* 2011;5(3):131-40.
<http://www.asiapharmaceutics.info/article.asp?issn=0973-8398;year=2011;volume=5;issue=3;spage=131;epage=140;aulast=Agrawal>
2. Bhawsar N, Maheshwari RK, Ansari A, Saktawat Y. New spectrophotometric estimation of gatifloxacin in the tablets using mixed solvency approach. *Int. J. Pharm. Bio Sci.* 2011;2(2):270-4.
<http://ijpbs.net/volume2/issue2/pharma/36.pdf>
3. Chandan C, Maheshwari RK. Mixed solvency concept in reducing surfactant concentration of self-emulsifying drug delivery systems of candesartan cilexetil using D-optimal mixture design. *Asian J. Pharm.* 2013;7(2):83-91.
<http://www.asiapharmaceutics.info/article.asp?issn=0973-8398;year=2013;volume=7;issue=2;spage=83;epage=91;aulast=Chandan>
4. Maheshwari RK. Solubilization of ibuprofen by mixed-solvency approach. *The Indian Pharmacist* 2009a;8(87):81-4.
<http://cat.inist.fr/?aModele=afficheN&cpsidt=21992538>
5. Maheshwari RK. "Mixed-solvency" – A novel concept for solubilization of poorly water-soluble drugs. *Delving J. Tech. Eng. Sci.* 2009b;1(1):39-44.
<http://www.delving.in/p6.pdf>
6. Maheshwari RK. "Mixed-solvency approach"- Boon for solubilization of poorly water-soluble drugs. *Asian J. Pharm.* 2010a;4(1):60-3.
<http://www.asiapharmaceutics.info/article.asp?issn=0973-8398;year=2010;volume=4;issue=1;spage=60;epage=63;aulast=Maheshwari>
7. Maheshwari RK. Potentiation of solvent character by mixed-solvency concept: A novel concept of solubilization. *J. Pharm. Res.* 2010b;3(2):411-3.
<http://jpronline.info/index.php/jpr/article/view/1774/1055>
8. Maheshwari RK, Gupta S, Gharia A, Garg SK, Shilpkar R. Simple ecofriendly spectrophotometric estimation of tinidazole tablets by application of mixed-solvency techniques. *Bull. Pharm. Res.* 2011b;1(1):22-5.
<http://www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR004.pdf>

9. Maheshwari RK, Karawande VU. Application of novel concept of mixed solvency in the design and development of floating microspheres of furosemide. *Int. J. Pharm. Pharmaceut. Sci.* 2013;5(2):167-75.
<http://www.ijppsjournal.com/Vol5Issue2/6408.pdf>
10. Maheshwari Y, Mishra DK, Mahajan SC, Maheshwari P, Maheshwari RK, Jain V. Novel pharmaceutical application of mixed solvency in the formulation development of syrups (liquid oral solutions) of poorly water-soluble drugs. *Int. J. Pharm.* 2013;3(4):753-8.
http://www.pharmascholars.com/upload/pharmacy_52beb5422a3b8.pdf
11. Maheshwari RK, Rajagopalan R. Formulation and evaluation of tinidazole syrup made by mixed solvency concept technique. *Der Pharm. Lett.* 2011;3(6):266-71.
<http://scholarsresearchlibrary.com/dpl-vol3-iss6/DPL-2011-3-6-266-271.pdf>
12. Maheshwari RK, Rajagopalan R. Formulation and evaluation of paracetamol syrup made by mixed solvency concept. *Der Pharm. Lett.* 2012;4(1):170-4.
<http://scholarsresearchlibrary.com/dpl-vol4-iss1/DPL-2012-4-1-170-174.pdf>
13. Maheshwari RK, Shilpkar R. Formulation development and evaluation of injection of poorly soluble drug using mixed solvency concept. *Int. J. Pharm. Bio Sci.* 2012;3(I):179-89.
<http://ijpbs.net/vol-3/issue-1/bio/P%20-%202021.pdf>
14. Maheshwari RK, Upadhyay N, Jain J, Patani M, Mathuria KC. New spectrophotometric estimation of naproxen tablets formulation employing mixed solvency concept (at 331 nm). *Int. J. Pharm. Technol.* 2011a;3(4):3618-23.
<http://www.ijptonline.com/wp-content/uploads/2009/10/3618-3623.pdf>
15. Maheshwari RK, Upadhyay N, Jain J, Patani M, Pandey R. New spectrophotometric analysis of gatifloxacin tablets utilizing mixed solvency concept (at 288 nm). *Der Pharm. Lett.* 2012;4(1):1-4.
<http://scholarsresearchlibrary.com/dpl-vol4-iss1/DPL-2012-4-1-1-4.pdf>
16. Pawar PB, Rawat SS, Mahajan YY, Galgatte UC, Maheshwari RK. Formulation development and evaluation of aqueous injection of poorly soluble drug made by novel application of mixed solvency concept. *Int. J. Drug Deliv.* 2013;5(2):152-66.
<http://www.arjournals.org/index.php/ijdd/article/view/793/pdf>
17. Soni LK, Solanki SS, Maheshwari RK. Solubilization of poorly water soluble drug using mixed solvency approach for aqueous injection. *Br. J. Pharm. Res.* 2014;4(5):549-68.
[file:///C:/Users/Home/Downloads/Soni452013BJPR4281_1%20\(1\).pdf](file:///C:/Users/Home/Downloads/Soni452013BJPR4281_1%20(1).pdf)
18. Sree Giri Prasad B, Gupta VRM, Devanna N, Rama Devi M, Vishnu Vardhan Rao G. Mixed co-solvency concept: A promising tool to enhance solubility of poorly soluble drug aceclofenac. *Int. J. Pharm. Chem. Biol. Sci.* 2012;2(3):338-42.
<http://www.ijpcbs.com/files/20-259.pdf>

19. Vijayaranga Vittal G, Deveswaran R, Bharath S, Basavaraj BV, V. Madhavan MS. Development of an analytical method for spectrophotometric estimation of ketoprofen using mixed co solvency approach. *Int. J. Pharm. Sci. Res.* 2012;3(4):1053-6.
<http://www.ijpsr.com/V3I4/16%20Vol.%203.%20Issue%204.%20April%202012-1131.%20Paper%2016.pdf>

