

Shrestha DK, Sapkota H, Baidya P, Basnet S. Antioxidant and antibacterial activities of *Allium sativum* and *Allium cepa*. *Bull. Pharm. Res.* 2016;6(2):50-5.

### References (46):

1. Abdou IA, Abdouzeid AA, EI-Sherbeery MR, Abdou EI, Gheat ZH. Nutr. Inst. Cairo. UAR. *Qual. Plant. Mater, Veg.* 2001;22(1):29-35.
2. Ani V, Varadaraj MC, Naidu KA. Antioxidant and antibacterial activities of polyphenolic compounds from bitter cummin (*Cuminum nigrum L.*). *Eur. Food Res. Technol.* 2006;224(1): 109-15.  
<http://link.springer.com/article/10.1007/s00217-006-0295-z>
3. Agarwal A, Bora D, Agarwal C, Kumar R, Choudhary V. CNS stimulant and antidepressant activity of seeds of *Abelmoschus esculentus* in rats. *Bull. Pharm. Res.* 2015;5(2):47-50.  
<http://journal.appconnect.in/wp-content/uploads/2016/02/ReprintBPR114.pdf>
4. Ankri S, Mirelman D. Antimicrobial properties of allicin from garlic. *Microbes Infect.* 1999;1(2):125-9.  
<http://www.sciencedirect.com/science/article/pii/S1286457999800033>
5. Augusti KT. Therapeutic values of onion (*Allium cepa L.*) and garlic (*Allium sativum L.*). *Indian J. Exp. Biol.* 1996;34(7):634-40.  
<http://www.ncbi.nlm.nih.gov/pubmed/8979497>
6. Avula VV, Bora D, Upreti S, Jonathan SK, Rijal S. Effect of aqueous extract of *Brassica oleraceae* var *Italica* (Broccoli) inflorescence in phenylhydrazine induced anemic rats. *Bull. Pharm. Res.* 2015;5(3):81-3.  
<http://journal.appconnect.in/wp-content/uploads/2016/02/ReprintBPR118.pdf>
7. Banerjee SK, Maulik SK. Effect of garlic on cardiovascular disorders: a review. *Nutr. J.* 2002;1:1-14.  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC139960/>
8. Belitz HD, Grosch W. *Lehrbuch der Lebensmittelchemie*, 4<sup>th</sup> edition, Springer-Verlag: Berlin, 1992; 450.
9. Borek C. Garlic reduces dementia and heart-disease risk. *J. Nutr.* 2006;136(3):810S-812S.  
<http://www.ncbi.nlm.nih.gov/pubmed/16484570>  
<http://jn.nutrition.org/content/136/3/810S.full.pdf+html>
10. Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 1976;72(1-2): 248-54.  
<http://www.sciencedirect.com/science/article/pii/0003269776905273>

11. Bray TM, Bettger WJ. The physiological role of zinc as an antioxidant. *Free Radic. Biol. Med.* 1990;8(3):281-91.  
<http://www.ncbi.nlm.nih.gov/pubmed/2187766>
12. Caro CG. The mechanics of the circulation. Oxford University Press, New York: 1978.
13. Cerella C, Dicato M, Jacob C, Diederich M. Chemical properties and mechanisms determining the anti-cancer action of garlic-derived organic sulfur compounds. *Anticancer Agents Med. Chem.* 2011;11(3):267-71.  
<http://www.ncbi.nlm.nih.gov/pubmed/21269260>
14. College of Sciences, University of Canterbury (UC). Determination of vitamin C concentration by titration. New Zealand: Christchurch, 2010;1-3.  
[http://www.outreach.canterbury.ac.nz/chemistry/documents/vitaminc\\_iodine.pdf](http://www.outreach.canterbury.ac.nz/chemistry/documents/vitaminc_iodine.pdf)
15. Csiszár J, Lantos E, Tari I, Madošá E, Wodala B, Vashegyi Á, Horváth F, Pécsváradi A, Szabó M, Bartha B, Gallé1 Á, Lazár A, Coradini G, Staicu M, Postelnicu S, Mihacea S, Nedelea G, Erdei L. Antioxidant enzyme activities in *Allium* species and their cultivars under water stress. *Plant Soil Environ.* 2007;53(12):517-23.  
<http://www.agriculturejournals.cz/publicFiles/00477.pdf>
16. Das A, Binik NL, Ray SK. Garlic compounds generate reactive oxygen species leading to activation of stress kinases and cysteine proteases for apoptosis in human glioblastoma T98G and U87MG cells. *Cancer* 2007;110(5):1083-95.  
<http://www.ncbi.nlm.nih.gov/pubmed/17647244>
17. Dehghani F, Merat A, Panjehshahin MR, Handjani F. Healing effect of garlic extract on warts and corns. *Int. J. Dermatol.* 2005;44(7):612-5.  
<http://www.ncbi.nlm.nih.gov/pubmed/15985039>
18. Dhindsa RS, Plumb-Dhindsa P, Thorpe TA. Leaf senescence: correlated with increased levels of membrane permeability and lipid peroxidation, and decreased levels of superoxide dismutase and catalase. *J. Exp. Bot.* 1981;32(1):93-101.  
<http://jxb.oxfordjournals.org/content/32/1/93.abstract>
19. El-Meleigy MA, Ahmed ME, Arafa RA, Ebrahim NA, El-Kholany EE. Cytotoxicity of four essential oils on some human and bacterial cells. *J. Appl. Sci. Environ. Sanit.* 2010;5(2):143-59.  
<http://connection.ebscohost.com/c/articles/56631394/cytotoxicity-four-essential-oils-some-human-bacterial-cells>
20. Gebreyohannes G, Gebreyohannes G. Medicinal value of garlic: a review. *Int. J. Med. Med. Sci.* 2013;5(9):401-8.  
[http://www.academicjournals.org/article/article1378915996\\_Gebreyohannes%20and%20Gebreyohannes.pdf](http://www.academicjournals.org/article/article1378915996_Gebreyohannes%20and%20Gebreyohannes.pdf)

21. Griffiths G, Trueman L, Crowther T, Thomas B, Smith B. Onions: a global benefit to health. *Phytother. Res.* 2002;16(7):603-15.  
<http://www.ncbi.nlm.nih.gov/pubmed/12410539>
22. Helen A, Krishnakumar K, Vijayammal PL, Augusti KT. Antioxidant effect of onion oil (*Allium cepa*. Linn) on the damages induced by nicotine in rats as compared to alpha-tocopherol. *Toxicol. Lett.* 2000;116(1-2):61-8.  
<http://www.ncbi.nlm.nih.gov/pubmed/10906423>
23. Hendrich AB. Flavonoid-membrane interactions: possible consequences for biological effects of some polyphenolic compounds. *Acta Pharmacol. Sin.* 2006;27(1):27-40.  
<http://www.ncbi.nlm.nih.gov/pubmed/16364208>
24. Irobi ON, Moo-Young M, Anderson WA, Daramola SO. Antimicrobial activity of bark extracts of *Bridelia ferruginea* (Euphorbiaceae). *J. Ethnopharmacol.* 1994;43(3):185-90.  
<http://www.sciencedirect.com/science/article/pii/0378874194900418>
25. Jaime L, Cabrejas MA, Molla E, Lopez-Andreu FJ, Esteban RM. Effect of storage on fructan and fructooligosaccharides of onion (*Allium cepa* L.). *J. Agric. Food Chem.* 2001;49(2):982-8.  
<http://www.ncbi.nlm.nih.gov/pubmed/11262060>
26. Jain RA, Agarwal RC, Pandey A, Jain R. Evaluation of *Argemone mexicana* fruits extract using micronucleus assay in mouse bone marrow cells. *Bull. Pharm. Res.* 2011;1(2):22-4.  
<https://www.appconnect.in/wp-content/uploads/2012/01/ReprintBPR018.pdf>
27. Jiang XW, Hu J, Mian FI. A new therapeutic candidate for oral aphthous ulcer: allicin. *Med. Hypotheses* 2008;71(6):897-9.  
<http://www.ncbi.nlm.nih.gov/pubmed/18771860>
28. Kim JY, Kwon O. Garlic intake and cancer risk: an analysis using the Food and Drug Administration's evidence-based review system for the scientific evaluation of health claims. *Am. J. Clin. Nutr.* 2009;89(1):257-64.  
<http://www.ncbi.nlm.nih.gov/pubmed/19056580>
29. Lampe JW. Health effects of vegetables and fruits: assessing mechanisms of action in human experimental studies. *Am. J. Clin. Nutr.* 1999;70(3):475S-90S.  
<http://ajcn.nutrition.org/content/70/3/475s.full.pdf+html>  
<http://www.ncbi.nlm.nih.gov/pubmed/10479220>
30. Mahadik SP, Scheffer RE. Oxidative injury and potential use of antioxidants in schizophrenia. *Prostag. Leukot. Essent. Fatty Acids* 1996;55(1-2):45-54.  
<http://www.ncbi.nlm.nih.gov/pubmed/8888122>
31. Makar RS, Toth TL. The evaluation of infertility. *Am. J. Clin. Pathol.* 2002;117:95S-103S.  
<http://www.ncbi.nlm.nih.gov/pubmed/14569805>

32. Mathew BC, Biju RS. Neuroprotective effects of garlic: a review. *Libyan J. Med.* 2008; 3(1):23-33.  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3074326>
33. NCCLS. Performance standard for antimicrobial disc susceptibility testing, Twelfth informational supplement; NCCLS document M100-S12. National Committee for Clinical Laboratory Standards, Wayne, Pa, 2002.
34. Packer L, Traber MG, Kramer K, Frei B. The antioxidant vitamins C and E. *AOCS Press* Champaign, Illinois, 2002.
35. Pavlović D, Tamburić V, Stojanović I, Kocić G, Jevtović T, Đorđević V, Dusica P, Vesna T. Oxidative stress as marker of positive symptoms in schizophrenia. *Facta Universitatis. Med. Biol.* 2002;9(2):157-61.  
<http://facta.junis.ni.ac.rs/mab/mab200202/mab200202-05.pdf>
36. Powell SR. The antioxidant properties of zinc. *J. Nutr.* 2000;130(5):1447S- 54S.  
<http://jn.nutrition.org/content/130/5/1447S.full.pdf+html>  
<http://www.ncbi.nlm.nih.gov/pubmed/10801958>
37. Rahman MM, Fazlic V, Saad NW. Antioxidant properties of raw garlic (*Allium sativum*) extract. *Int. Food Res. J.* 2012;19(2):589-91.  
[http://www.ifrj.upm.edu.my/19%20\(02\)%202012/\(32\)IFRJ-2012%20Rahman.pdf](http://www.ifrj.upm.edu.my/19%20(02)%202012/(32)IFRJ-2012%20Rahman.pdf)
38. Rose P, Whiteman M, Moore PK, Zhu YZ. Bioactive S-alk(en)yl cysteine sulfoxide metabolites in the genus *Allium*: the chemistry of potential therapeutic agents. *Nat. Prod. Rep.* 2005;22(3):351-68.  
<http://www.ncbi.nlm.nih.gov/pubmed/16010345>
39. Sadanand VK, Palanivelu M. Investigation of the pharmacological activity of ethanolic extract of *Abrus precatorius* seeds. *Bull. Pharm. Res.* 2015;5(1):28-30.  
<http://journal.appconnect.in/wp-content/uploads/2015/05/FirstPagePreview-bpr1101.pdf>
40. Sheela CG, Kumud K, Augusti KT. Antidiabetic effects of onion and garlic sulfoxide amino acids in rats. *Planta Med.* 1995;61(4):356-7.  
<http://www.ncbi.nlm.nih.gov/pubmed/7480182>
41. Skrinjar MM, Nemet NT. Antimicrobial effects of spices and herbs essential oils. *BIBLID* 2009;40:195-209.  
<http://www.doiserbia.nb.rs/img/doi/1450-7188/2009/1450-71880940195S.pdf>
42. Srividya AR, Dhanabal SP, Yadav AK, Sathish Kumar MN, Vishnuvarthan VJ. Phytopreventive antihyperlipidemic activity of *Curcuma zedoaria*. *Bull. Pharm. Res.* 2012;2(1):22-5.  
<https://www.appconnect.in/wp-content/uploads/2013/06/ReprintBPR038.pdf>

43. Upadhyaya A, Sankhla D, Davis TD, Sankhla N, Smith BN. Effect of paclitaxel on the activities of some enzymes of activated oxygen metabolism and lipid peroxidation in senescing soybean leaves. *J. Plant Physiol.* 1985;121(5):453-61.  
<http://www.sciencedirect.com/science/article/pii/S017616178580081X>
44. Wilkes S, Chinn DJ, Murdoch A, Rubin G. Epidemiology and management of infertility: a population-based study in UK primary care. *Fam. Pract.* 2009;26(4):269-74.  
<http://www.ncbi.nlm.nih.gov/pubmed/19502575>
45. Ziu MM, Giasuddin ASM, Mohammad AR. The effect of garlic oil (*Allium sativum*) on Dmba induced salivary gland tumorigenesis in rat. *J. Islamic Acad. Sci.* 1994;7(3):189-92.  
[http://www.journalagent.com/ias/pdfs/IAS\\_7\\_3\\_189\\_192.pdf](http://www.journalagent.com/ias/pdfs/IAS_7_3_189_192.pdf)
46. Zohri AN, Abdel-Gawad K, Saber S. Antibacterial, antidermatophytic and antitoxigenic activities of onion (*Allium cepa* L.) oil. *Microbiol. Res.* 1995;150(2):167-72.  
<http://www.ncbi.nlm.nih.gov/pubmed/7600010>

